

FIRST AID Written Exam (2015 ECC Guidelines)

aining	g Center:	Health Solutions of Idaho, LLC	Location:	Boise, Idaho
	Name:		Date:	
1.	List three of t the Good Sar	the four actions that you must follow to maritan Law.		
2.	List the three	e universal first aid procedures.		
3.		ere is a child victim present, who is NOT uation, should you remove them? Why?		
4.	List three P.P.E. items you can use to protect yourself from infections and blood borne pathogens.			
5.	In what sequ and why?	ence would you conduct your patient as		It? On a child/infant
6.	When condu	cting our head to toe assessment what fo	our major items are	you looking for?
		D T be your treatment for a deformity?	S	
8.	List the three steps to bleeding control.			
9.	Do you place a tourniquet on a child or infant? Circle: YES or NO			
10.	What is the t	reatment for tenderness and swelling (sp	prain, strains, bruisi	ng)?
R		I C	E	



- 11. Use S.A.M.P.L.E. to obtain information from a victim when performing first aid. What does "A" and "M" stand for in S.A.M.P.L.E.?
- Α_____
- Μ_____

12. What causes shock (Hypoperfusion) and what is the treatment for shock?

13. When a victim has an impaled object located in any part of the body should you remove the object? Why or why not?

14. A.) What is the treatment for a first-degree burn? (Symptoms: Redness and swelling of skin)

B.) When performing first aid with a child and the injury is a first-degree burn, what do you need to be cautious of when cooling the victim?

15. If a person receives a sting and a stinger is still present, how should you remove it?

Do you use tweezers? Circle: YES or NO

16. When dealing with a victim that has an eye injury of any sort, do you cover just the injured eye or both eyes? Why or why not?

17. What is the procedure of treatment for a person that has a nosebleed?

- **18.** Because of the progressive nature of concussion, it is best NOT to allow an affected person to perform actions that could pose a risk for additional injury? (*Example: Drive a motor vehicle*) Circle: *TRUE or FALSE*
- 19. A.) If the scene is *safe*, the victim is responsive and has a suspected head, neck, or spinal injury, do you want to move them? Circle: YES or NO

B.) When applying first aid or performing CPR and the scene becomes unsafe, the victim has a suspected head, neck, or spinal injury; do you want to move them? Circle: YES or NO



- 20. Would you ever apply a second EpiPen dose to a victim who is having a severe allergic reaction? If so, why?
- 21. A.) What are the symptoms of a person who is having a diabetic emergency?

B.) When should you call 9-1-1 for a diabetic emergency?

22. What are four major treatment guidelines for heat exhaustion or heat stroke?

_ _

23. What are four major treatment guidelines for hypothermia?

- 24. What should your treatment be for a patient who is having a seizure?
- 25. List three warning signs of a heart attack:
- 26. List the F.A.S.T warning signs of a stroke:

_ _

* If given within 3 hours of the start of symptoms, a clot-busting drug can reduce long-term disability for the most common type of stroke so it is vital that we seek medical attention!

____ ____

27. Name four health related emergencies in which 911 should be called.

28. Should you call 911 if you are ever in doubt about the need of help? Circle: YES or NO

____ __

Returning Test or Test Answers Options

- 1. CLASS Bring with you to your CPR class
- 2. EMAIL joel_healthsolutions@live.com
- 3. TEXT PICTURES (3 PAGES) 208-249-7157
- 4. MAIL 11588 W. Fairview Ave., Suite 200 Boise, ID 83713